



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France  
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)  
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

<p style="text-align: center;"><b>CE TYPE EXAMINATION CERTIFICATE</b> <b>0075/1107/162/03/12/0223</b></p>
---

To the following model of personal protective equipment :

- \* protective glove against                      mechanical risks, thermal risks.
- \* reference of the model :    GK35-33
- \* responsible for placing on the market :

**Foshan Nanhai Telon Yida Industry Co., Ltd.**

**Huma Industry Zone, Dali, Nanhai Dist. Foshan 528231 China**

**China**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 26th, 2012



**4, rue Hermann Frenkel**  
**69367 Lyon Cedex 07 - France**

**Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00**  
**[www.ctcgroupe.com](http://www.ctcgroupe.com)**

Issued by Lionel GAUDILLERE

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : March 2012  
 Reference : GK35-33  
 Basic Model  
 Dated : 01

Heat resistant glove GK35-33

**Available sizes :**

11

**Visual description :**



**Material :**

	Colour	Material	Gauges	Thickness
PALM	grey/green	kevlar, SFO, wool and cotton		
BACK	grey/green	nomex,SFO, wool and cotton		
LINING				
CUFF	grey/green	kevlar, SFO, wool and cotton		
	grey/green	nomex,SFO, wool and cotton		
BINDING	blue	polyester		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 407:2004 - Protective gloves against thermal risks
- \* Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

This product is a category III (lethal or irreversible risk).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420	SH61133-11,D110905840,D110301121		
Azo	D110905840,D110301121		
EN 388	SH61133-11		
EN 407	04811-11,00293-12		

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	2	4	2

The levels of performance have been measured on the palm

**Performance levels offered against thermal risks (EN 407:2004) are:**

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	2	3	2	X	X



### 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: GKKK35-33
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* information pictogram

Marking example:



**Foshan Nanhai Telon Yida Industry Co., Ltd.**

**MANUFACTURER'S TECHNICAL FILE**

<b>Reference of the product</b>	<b>:</b>	<b>GKKK35-33</b>
<b>Technical file index</b>	<b>:</b>	<b>March 2012</b>
<b>Last update</b>	<b>:</b>	<b>01</b>

## IDENTIFICATION

Reference of the product :	:	GKKK35-33
Technical file index :	:	March 2012
Last update :	:	01

### **CE Type Examination Applicant :**

Foshan Nanhai Telon Yida Industry Co., Ltd.  
Huma Industry Zone, Dali, Nanhai Dist. Foshan 528231 China  
China

tel : +86-757-85598349

fax : +86-757-85575259

### **Manufacturer :**

Foshan Nanhai Telon Yida Industry Co., Ltd.  
Huma Industry Zone, Dali, Nanhai Dist. Foshan 528231 China  
China

tel: +86-757-85598349

fax: +86-757-85575259

## GLOVE DESCRIPTION

**Glove description :**

Heat resistant glove GK03-33

**Visual description:**



**Available sizes :**

Minimum length of glove (mm)	Sizes
334	11

**Glove constitution :**

	Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM	GK03-A	grey/green	kevlar, SFO, wool and cotton	820g/m <sup>2</sup>		
BACK	GK04-A	grey/green	nomex, SFO, wool and cotton	570g/m <sup>2</sup>		
LINING						
CUFF	GK03-A	grey/green	kevlar, SFO, wool and cotton	820g/m <sup>2</sup>		
	GK04-A	grey/green	nomex, SFO, wool and cotton	570g/m <sup>2</sup>		
BINDING	IIIL-04	blue	polyester			

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks, thermal risks.

It is a category III product, procedure 11A.

Notified Body Reference : C.T.C.

### GENERAL REQUIREMENTS

#### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 1

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

#### **Directive 2002/61/CE :**

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

### SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

#### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	1
Blade cut resistance	2
Tear strength resistance	4
Puncture resistance	2

#### **Thermal hazard EN 407 : 2004**

Protection offered	Performance levels
Burning behaviour	4
Contact heat	2
Convective heat	3
Radiant heat	2
Small splashes of molten metal	X
Large quantities of molten metal	X



## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH61133-11,D110905840,D110301121		
Azo	D110905840,D110301121		
EN 388	SH61133-11		
EN 407	04811-11,00293-12		

## MARKING - PACKAGING

### **Information printed on the glove :**

Logo of the authorized representative :

Logo

Glove's reference : GKKK35-33

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### **Marking example :**



### **Method of marking on the glove :**

printing on back

### **Packaging :**

plastic packing

## MEANS OF CONTROL

According to the certificate of ISO9001:

## INSTRUCTION FOR USE

Foshan Nanhai Telon Yida Industry Co., Ltd.

Huma Industry Zone, Dali, Nanhai Dist. Foshan 528231 China

Glove reference : GKKK35-33

Available sizes : 11

### **Glove description :**

Heat resistant glove GKKK35-33

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY III.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

For this category III product, the follow of production according to the article 11A of the Directive is made by the C.T.C.

4 rue Hermann Frenkel - 69367 Lyon  
cedex 07 - France

### **Applicable standards :**

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 1

Moreover, this glove has been designed for the following applications :

# CE

#### Application :

Mechanical hazard - EN 388



1242

Levels of performance

Abrasion resistance	1
Blade cut resistance	2
Tear resistance	4
Puncture resistance	2

#### Application :

Thermal risk - EN 407



4232XX

Levels of performance

Burning behaviour	4
Contact heat	2
Convective heat	3
Radiant heat	2
Small splashes of molten metal	X
Large quantities of molten metal	X

### **Protection limit :**

*The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.*

*For gloves with different layers of material, the performance levels are warranted only for the whole glove.*

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.*

### **Storage and cleaning notice**

*Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.*