

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/03/18/0504

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: **HONEYWELL SAFETY PRODUCTS EUROPE**

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958

ROISSY CDG CEDEX

France

Description

PPE Type: protective glove against mechanical risks, thermal risks

Product reference: 20 326 25

Article code:

Glove description: 5 Fingers Cotton/Polyester terry knitted. Knitted elastic wrist

This product is a category II.

Available sizes: 09

Pictures:



Honeywell

20 326 25 XX







Address:

Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France



HONEYWELL SAFETY PRODUCTS EUROPE

Address has to be printed on back side of the gloves or on a label inside the gloves.

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

The levels of performance have been measured on the palm

1 X 3 X C

« X » means that the test hasn't been performed; no protection is required

EN 407:2004

X1XXXX

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from FEBRUARY 2019

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by **Lionel Gaudillere** PPE certification manager



Date of first issue: 21 March 2018 Update 01 from: 22 February 2019

End of validity date: 21 April 2023





Original CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : 20 326 25

Article code : -

Technical file index : 02

Last update : FEBRUARY 2019

IDENTIFICATION

Reference of the product: : 20 326 25

Basic Model

Technical file index: : 02

Last update: : FEBRUARY 2019

Manufacturer:

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel: 01.49.90.79.79 fax: 01.49.90.79.80

Factory:

SPERIAN PERSONAL PROTECTIVE EQUIPEMENT (Nantong) Co. LTD

Tonghu Road, Rudong Industrial New area - Nontong City - Jiangsu Province

CHINA

tel: + 86-513-8456999 fax: +85-513-84536318

GLOVE DESCRIPTION

General glove description:

5 Fingers Cotton/Polyester terry knitted. Knitted elastic wrist

type of coating finish: no coating

Visual description (picture back and palm sides):



Field of use

mechanical, thermal Industry:Automotive and Part Manufacturer, Glass Industries Iron and steel industry

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	✓	✓ Standard
			✓ Instruction for use
			✓ Marking
	Manufacturer's instructions and information is available	V	Standard
§1.4			✓ Instruction for use
			Marki <u>ng</u>
§2.5	PPE which may be caught up during use		Standard
		>	✓ Instruction for use
			Marking Marking
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard
§2.12			✓ Instruction for use
			✓ Marking
	Multi-risk PPE	V	✓ Standard
§2.14			✓ Instruction for use
			✓ Marking
	The PPE is intended to protect against mechanical injuries	V	✓ Standard
§3.3			✓ Instruction for use
			✓ Marking
§3.6	Protection against heat and/or fire	V	✓ Standard
			✓ Instruction for use
			✓ Marking

Available sizes:

Minimum length of glove (mm)	Sizes
270	09

Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2915139	Grey	53% cotton/ 7% Polyamide /40% polyester.		7	
Back	2915139	Grey	53% cotton/ 7% Polyamide /40% polyester.		7	
Cuff	2915139	Grey	53% cotton/ 7% Polyamide /40% polyester.		7	
	2032625	Natural	elastic rubber		7	
Binding	2915151	Yellow	PES			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed for mechanical risks, for thermal risks. It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity: 5
Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2016

Protection offered	Performance levels
Abrasion resistance	1
Blade cut resistance	X
Tear strength resistance	3
Puncture resistance	X
Cut Resistance method (EN ISO 13997)	С
Impact Protection	-

The levels of performance have been measured on the palm $\ll X$ » means that the test hasn't been performed; no protection is required

Thermal hazard EN 407: 2004

Protection offered	Performance levels
Burning behaviour	X
Contact heat	1
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X

TEST REPORTS

Laboratory	СТС	Other
EN 420 +	L171223421_1	
innocuousness	L171223420_1	
EN 388	L160508218_1 L171223420_1	
EN 407	L180101426_1	
Other	L171223421_1 L150609368_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: 20 326 25

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Address:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Tance

Address has to be printed on back side of the gloves or on a label inside the gloves.

Method of marking on the glove :

Label sewn

Packaging:

10 pairs per bundle, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available on : www.honeywellsafety.com

MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1 Major defects : NQA = 1,5 / Minor defects : NQA = 10.

Sampli	ng Plan	Quantity of acceptable defects		
Lot Quantity	Sample quantity	Minor Defects	Major Defects	
110 to 200	D8	2	0	
201 to 500	F 20	5	1	
501 to 1200	G 30	7	1	
1201 to 10000	J 80	14	3	
10000	K 125	21	5	